

## Acetyl-L-Carnitine

### Neuroprotection from a Potent Carnitine Metabolite

#### DESCRIPTION

Acetyl-L-carnitine capsules, provided by Douglas Laboratories, each contain 500 mg of pure acetyl-L-carnitine.

#### FUNCTIONS

Acetyl-L-carnitine plays a key role in maintaining normal brain and nerve function during the normal aging process. † Acetyl-L-carnitine is a naturally occurring metabolite of L-carnitine, and both are present in the diet, particularly in foods of animal origin.

In most tissues of the body, both L-carnitine and acetyl-L carnitine are involved in fatty acid oxidation. They are part of what is called the carnitine shuttle. L-carnitine shuttles fatty acids from the cytosol (the cell fluid) into the mitochondria (the cell's powerhouses) for oxidation and energy production. The main end products of fatty acid oxidation are energy (in the form of NADH), and acetyl groups. Most of these acetyl groups are further oxidized in the mitochondria's Krebs cycle, but some are needed in the cytosol for producing other important metabolites. Acetyl-L-carnitine provides a way to carry these acetyl groups through the mitochondrial membranes back out into the cytosol.

In brain and other nerve tissues, this acetyl group export by acetyl-L-carnitine out of the mitochondria into the cytosol is important in maintaining normal levels of acetyl groups for the production of acetylcholine and other acetylated neurotransmitters that are so crucial for normal brain and nerve function. † The enzyme that makes acetylcholine from acetyl groups and choline is the choline acetyl transferase. The activity of this important enzyme has a tendency to decline during the normal aging process, causing low acetylcholine levels which in turn, are thought to contribute to the impairment of brain function that is associated with aging. †

Besides maintaining normal acetylcholine levels, several studies indicate other neuroprotective benefits of acetyl-L-carnitine, which may be due to at least three modes of action. First, acetyl-L-carnitine has been shown to maintain cellular membrane stability, and to restore age-related membranal changes. † Acetyl-L-carnitine can also act as an antioxidant, scavenging harmful superoxide radicals. Since superoxide can damage membrane lipids, this may explain acetyl-L-carnitine's membrane protective properties. Acetyl-L-carnitine preserves normal levels of nerve growth factor in brain tissue during aging. †

In summary, human studies showed up to 3 grams of supplemental acetyl-L-carnitine supports normal brain and nerve function during the normal aging process through various mechanisms. These include its actions on acetylcholine synthesis, membrane stability and nerve growth factor production. †

#### INDICATIONS

Acetyl-L-carnitine capsules may be a useful nutritional adjunct for individuals who wish to support the body's nervous system and brain function.

#### FORMULA (#82730)

Each Capsule Contains:

Acetyl-L-Carnitine ..... 500 mg

## Acetyl-L-Carnitine

### Neuroprotection from a Potent Carnitine Metabolite

#### SUGGESTED USE

Adults take 1 capsule daily or as directed by physician.  
This product can be taken with or without food.

#### SIDE EFFECTS

No adverse side effects reported.

#### STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

#### REFERENCES

Malaguarnera M, Vacante M, Galvano F, et al. The American Journal Of Clinical Nutrition .April 2011;93(4):799-808.

Pettegrew J, Levine J, McClure R. Molecular Psychiatry November 2000;5(6):616-632.

Kobayashi S, et al. Geriatrics & Gerontology International. July 2010;10 Suppl 1:S99-S106

Tanaka Y, Sasaki R, Ando S, et al. Journal Of Lipid Research. April 2004;45(4):729-735.

Abdul Muneer P, Alikunju S, Szlachetka A, Haorah J. Psychopharmacology [serial online]. April 2011;214(3):707-718.

Bonavita E.. Int J Clin Pharmacol Ther Toxicol 1986;24:511-6.

Bowman BA. Nutr Rev 1992;50:142-4.

Brooks JO, 3rd, Yesavage JA, Carta A, Bravi D. Int Psychogeriatr 1998;10:193-203.

Calvani M, Arrigoni-Martelli E. Int J Tissue React 1999;21:1-6.

Carta A, Calvani M, Bravi D, Bhuachalla SN. Ann N Y Acad Sci 1993;695:324-6.

Florio T, et al. Eur Neuropsychopharmacol 1993;3:95-101.

Foreman PJ, et al. Prog Neuropsychopharmacol Biol Psychiatry 1995;19:117-33.

Gorini A, D'Angelo A, Villa RF. Neurochem Res 1998;23:1485-91.

Gorini A, D'Angelo A, Villa RF. Neurochem Res 1999;24:617-24.

Hagen TM, et al. Proc Natl Acad Sci U S A 1998;95:9562-6.

Hagen TM, Wehr CM, Ames BN. Ann N Y Acad Sci 1998;854:214-23.

Paradies G, Petrosillo G, Gadaleta MN, Ruggiero FM. FEBS Lett 1999;454:207-9.

Piovesan P, et al. Brain Res 1994;633:77-82.

Salvioli G, Neri M. Drugs Exp Clin Res 1994;20:169-76.

## **Acetyl-L-Carnitine**

### **Neuroprotection from a Potent Carnitine Metabolite**

Sano M, et al. Arch Neurol 1992;49:1137-41.

Comelli M, et al. Neurology 1991;41:1726-32.

Tagliatalata G, et al. Exp Gerontol 1994;29:55-66.

White HL, Scates PW. Neurochem Res 1990;15:597-601.

**For more information on Acetyl-L-Carnitine, visit [douglaslabs.com](http://douglaslabs.com)**

† These statements have not been evaluated by the Food and Drug Administration.  
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by  
Douglas Laboratories  
600 Boyce Road  
Pittsburgh, PA 15205  
800-245-4440  
[douglaslabs.com](http://douglaslabs.com)



**You trust Douglas Laboratories.  
Your patients trust you.**