



ISO 9001:2000
 CERTIFICATE NO. C2002-00785
 600 Boyce Road • Pittsburgh, PA 15205 U.S.A.
 (412) 494-0100 • FAX (412) 494-0155

ISO/IEC 17025:1999
 CERTIFICATE NO. L02-95

05/24/07 CERTIFICATE OF ANALYSIS PAGE 1 OF 1

PRODUCT NAME: CALCIUM CITRATE (250 MG.) FORMULA NO.: 7409

	-----SPECIFICATIONS-----	--RESULTS--
APPEARANCE	Coated, oblong shaped, white tablet	CONFORMS
SIZE	TABLET SIZE 2	CONFORMS
HARDNESS	NLT 10 KPS	34.00 KPS
FRIABILITY USP 25 <1216>	NMT 1% AFTER 100 ROTATIONS	.0557 %
DISINTEGRATION USP 25 <2040>	NMT 45 MINUTES IN WATER @37 CENTIGRADE	23 MINUTES
WEIGHT VARIATION USP 25 <2091>	1198.67 - 1324.84 MG FOR EACH OF 20 TABLETS	AVERAGE: 1261.76 MG RANGE: 1210.40 - 1300.20 MG

ACTIVE COMPONENTS ANALYTICAL ASSAY PAGE: A107106405
 |-----ACTIVE-----| |----CLAIM----| |-----SPECIFICATIONS-----| |--RESULTS--| |---METHOD---|

EACH TABLET CONTAINS
 Calcium 250.00 MG 225.00 - 312.50 MG 299.84 MG SOP-MIN-002

	-----TESTS PERFORMED-----	-----SPECIFICATIONS-----	-RESULTS-
TAPC		NMT 10,000 CFU/GRAM	<10 CFU/g
YEAST & MOLD		NMT 1,000 CFU/GRAM	<10 CFU/g
E. COLI		NEGATIVE	NEGATIVE
PSEUDOMONAS		NEGATIVE	NEGATIVE
SALMONELLA		NEGATIVE	NEGATIVE
STAPH		NEGATIVE	NEGATIVE

RELEASED BY: _____ 05/24/07
 NAEEM A. SHAIKH, PH. D. DATE
 VICE PRESIDENT, RESEARCH AND DEVELOPMENT