Female X Booster

Sexual Health

DESCRIPTION

Female X Booster is a proprietary blend of herbal plant adaptogens plus the amino acids L-arginine and Lcitrulline to help boost the female's sexual response by working through various physiological mechanisms in the body. [‡]

INDICATIONS

• Female X Booster may be used as a dietary supplement to support the psychological and physiological factors that may affect female libido.[‡]

FUNCTIONS AND MECHANISM OF ACTION

In the central nervous system, dopaminergic and serotonergic systems appear to play a significant role in various components of sexual response. Supporting endocrine, neural and vascular function, as well as mood, has the potential to promote sexual health.[‡]

The Female X Booster formula supports many of the physiological mechanisms involved in maintaining female sexual health. These include the support of general vascular function, healthy stress responses, and overall well-being. Panax Ginseng supports estrogen function in addition to its ability to moderate the effects of stress on the nervous system, a function that is shared by other adaptogens in this formula, such as Eleutherococcus senticosus and Ashwagandha (Withania somnifera). In traditional medicine, Muira Puama (Ptychopetalum olacoides) is a traditionally used Brazilian adaptogen to support arousal. In a small, randomized trial, women presenting with hyposexual desire disorder took 7.5 mg of Tribulus terrestris daily for four weeks along with a placebo group. After four weeks, the trial group showed improvements in the Female Sexual Function Index areas of desire, arousal, lubrication, satisfaction and comfort domains. Black cohosh (Cimicifuga racemose) supports physical and sexual drive in postmenopausal women, as indicated by the "sexuality domain" of clinical reporting scales used in studies.[‡] Dopamine and norepinephrine are partially responsible for sexual excitement. Velvet bean (Mucuna pruriens) seeds are the best-known, naturally occurring source of L-dopa, and have been used in traditional Ayurvedic medicine to support healthy sexual function. Preliminary findings show that Maca root (Lepidium meyenii) consumption daily may support mood and sexual function in postmenopausal women independent of estrogenic and androgenic activity. Ptychopetalum olacoides support the function of dopamine D(1) receptors in the hypothalamus. ‡

Supports Hormone Functions

In addition to supporting the female sexual response through other mechanisms, *Angelica sinensis, Humulus lupulus,* and *Cimicifuga racemosa* also support estrogen function. *Lepidium meyenii, Ptychopetalum olaciodes, Mucuna pruriens, Epimedium brevicornum, Tribulus terrestris, Eleutherococcus senticosus, Panax ginseng and Withania somnifera* also support testosterone function. If additional estrogen function support is desired, EstroMend[™] may also be used. TestoGain[™] may be used if additional testosterone function support is desired. [‡]

FORMULA (#202275)

Vegetarian capsules:2 capsules4 capsulesProprietary Blend674 mg*1348 mg*Maca root (Lepidium meyenii), Dong Quai root Extract (Angelica sinensis)(standardized to 1% ligustilides,1348 mg*Muira Puama bark (Ptychopetalum olaciodes), Velvet bean seed Extract (Mucuna pruriens)(standardized to15% l-olaciodes),Hops flower Extract (Humulus lupulus)(standardized to 5% flavones), Horney Goat WeedExtract (Epimedium brevicornum, aerial parts)(standardized to 10% icariin), Gokhru fruit Extract (Tribulusterrestris) (standardized to 45% saponins), Eleutherococcus senticosus root extract (standardized to 0.8%eleutherosides), Panax ginseng root Extract (standardized to 3% ginsenosides), Ashwagandha root and leafExtract (Withania somnifera)(standardized to 10% withanolide glycoside conjugates and 32%

Female X Booster

Sexual Health		
oligosaccharides), Black Cohosh root Extract (Cimicifuga racemos	a)(standardized to 0.8% trit	terpene
glycosides).		
L-Arginine	250 mg	500 mg*
L-Citrulline		
Other ingredients: Hydroxypropyl methylcellulose (capsule), ascorb		Ũ

SUGGESTED USE

As a dietary supplement, adults can take 2 capsules each day with food for 1 to 2 weeks or as directed by a healthcare practitioner. If desired, the dose may then be increased to 4 capsules each day with food for 2 to 4 months, or as directed by a healthcare professional. After 2 to 4 months, dosage may be lowered back down to 2 capsules each day with food and may continue on that dosage as needed, or as directed by your healthcare professional.

PRECAUTIONS

If you are pregnant, nursing, have any health condition or are taking any medication, consult your healthcare professional before using this product.

SIDE EFFECTS

No adverse side effects have been reported.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

El-Hattab AW, Emrick LT, Craigen WJ, Scaglia F. Mol Genet Metab. 2012 Nov;107(3):247-52. [arginine]

El-Hattab AW, Hsu JW, Emrick LT, Wong LJ, Craigen WJ, Jahoor F, Scaglia F. Mol Genet Metab. 2012 Apr;105(4):607-14. [arginine]

Schwedhelm E, Maas R, Freese R, Jung D, Lukacs Z, Jambrecina A, Spickler W, Schulze F, Böger RH. Br J Clin Pharmacol. 2008 Jan;65(1):51-9. [L-citrulline]

Brooks NA, Wilcox G, Walker KZ, Ashton JF, Cox MB, Stojanovska L. Menopause. 2008 Nov-Dec;15(6):1157-62. [Lepidium meyenii]

Circosta C, Pasquale RD, Palumbo DR, Samperi S, Occhiuto F. Phytother Res. 2006 Aug;20(8):665-9. PubMed PMID: 16691630. [Angelica sinensis]

Mendes FR, Carlini EA. J Ethnopharmacol. 2007 Feb 12;109(3):493-500. [Muira Puama]

Siqueira IR, Fochesatto C, da Silva AL, Nunes DS, Battastini AM, Netto CA, Elisabetsky E. Pharmacol Biochem Behav. 2003 Jun;75(3):645-50. [Muira Puama]

da Silva AL, Ferreira JG, da Silva Martins B, Oliveira S, Mai N, Nunes DS, Elisabetsky E. Physiol Behav. 2008 Sep 3;95(1-2):88-92. [Muira Puama]

Ning H, Xin ZC, Lin G, Banie L, Lue TF, Lin CS. Urology. 2006 Dec;68(6):1350-4. PubMed PMID: 17169663. [Eleutherococcus senticosus]

Female X Booster

Sexual Health

D'Amati G, di Gioia CR, Bologna M, Giordano D, Giorgi M, Dolci S, Jannini EA. Urology. 2002 Jul;60(1):191-5. [Eleutherococcus senticosus]

Kwan CY, Zhang WB, Sim SM, Deyama T, Nishibe S. Naunyn Schmiedebergs Arch Pharmacol. 2004 May;369(5):473-80. [Eleutherococcus senticosus]

Oh KJ, Chae MJ, Lee HS, Hong HD, Park K. J Sex Med. 2010 Apr;7(4 Pt 1):1469-77. [Panax Ginseng]

Misra L, Wagner H. Indian J Biochem Biophys. 2007 Feb;44(1):56-60. PubMed PMID: 17385342. [Mucuna pruriens]

Lampariello L, Cortelazzo A, Guerranti R, Sticozzi C, Valacchi G. J Tradit Complement Med. 2012 Oct-Dec; 2(4): 331–339. [Mucuna pruriens]

RajaSankar S, Manivasagam T, Sankar V, Prakash S, Muthusamy R, Krishnamurti A, Surendran S. J Ethnopharmacol. 2009 Sep 25;125(3):369-73. [Withania somnifera]

Mohammad-Alizadeh-Charandabi S, Shahnazi M, Nahaee J, Bayatipayan S. Chin Med. 2013 Nov 1;8(1):20. [Cimicifuga racemose]

Juliá Mollá MD, García-Sánchez Y, Romeu Sarri A, Pérez-lópez FR. Gynecol Endocrinol. 2009 Jan;25(1):21-6. [Cimicifuga racemose]

Akhtari E, Raisi F, Keshavarz M, Hosseini H, Sohrabvand F, Bioos S, Kamalinejad M, Ghobadi A. DARU Journal of Pharmaceutical Sciences201422:40. [Tribulus terrestris]

For more information on Female X Booster visit douglaslabs.com

‡ These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by Douglas Laboratories 112 Technology Drive Pittsburgh, PA 15275 800-245-4440 douglaslabs.com



© 2016 Douglas Laboratories. All Rights Reserved.

DL202275-1116