

DIM® Enhanced

With Curcumin, Green Tea and Wasabia

DESCRIPTION

DIM® Enhanced, provided by Douglas Laboratories, is a microencapsulated form of diindolylmethane, with curcumin, green tea, and wasabia designed to support healthy hormone balance and immune health. Microencapsulated DIM by BioResponse® is a patented, absorption-enhancing formulation to ensure proper assimilation by the body. †

INDICATIONS

- DIM® Enhanced may be a useful dietary supplement for individuals wishing to support healthy estrogen detoxification, hormone balance and immune support.†

FUNCTIONS AND MECHANISM OF ACTION


Diindolylmethane

During the body's natural detoxification processes, potentially detrimental molecules such as hormone metabolites, alcohol, drugs and air pollutants are removed from the blood stream via the liver. Healthy hormone detoxification is a crucial part of the normal functioning of the immune system. †

Diindolylmethane (DIM) is one molecule known for the supportive role it plays in stimulating natural detoxification enzymes and supporting normal hormone metabolism. As a natural component derived from indole-3-carbinole and cruciferous vegetables, DIM has shown in studies to support the 2-hydroxylation instead of 16-hydroxylation of certain estrogen metabolites. This favors the production of 2-hydroxysterone over the less desirable 16-hydroxyestrone. †

Microencapsulated DIM® is the only diindolylmethane with proven absorption and activity demonstrated in independently performed clinical studies. BioResponse DIM® contains pure DIM, microencapsulated in particles complexed with a vitamin E derivative and phospholipids to aid absorption from the intestinal tract. The patented formulation process for making BioResponse DIM® creates microparticles of DIM, emulsifies the DIM with vitamin E and phospholipids, and captures these complexes through a drying process in larger particles of pure food starch. The result is a sustained-release, dry powder that re-dissolves easily after oral consumption. The graph below shows greater absorption of microencapsulated DIM® compared to fine crystalline DIM.

DIM Absorption in Humans
1 mg/Kg, Average of Three Patients



Gr Jacobs, I.C., and Zeligs, M.A.; *Proceedings, International Symposium on Controlled Release of Bioactive Materials. Controlled Release Society. 27:1324. 2000.*

DIM® Enhanced

With Curcumin, Green Tea and Wasabia

Scientists have identified numerous phytochemicals, including polyphenols, methylxanthines, flavonoids, and triterpenoid saponins, in green tea. The polyphenols contained in tea, specifically the catechins, appear to provide the primary health-promoting benefits associated with green tea consumption. Catechin, epicatechin, epigallocatechin (EGC) and, most notably, epigallocatechin gallate (EGCG), act as antioxidants and support immune function and liver detoxification. Additionally, in vitro, these nutrients have been shown to support healthy cell growth and division. ‡

MERIVA® Curcumin

Studies have shown that curcumin, a naturally occurring biologically active group of compounds from *Curcuma longa* (turmeric), can function as efficient antioxidants that play a key role in supporting the body's detoxification processes. Since curcumin exhibits poor oral absorption in the body, Douglas Laboratories has chosen a highly bioavailable curcumin called MERIVA®. Curcuminoid absorption was about 29 times higher for Mervia than for standard curcumin due to proprietary PHYTOSOME technology, which increases hydrolytic stability. ‡

Wasabia Japonica

Wasabia, a member of the cruciferous vegetable family, contains long chain isothiocyanates (ITCs). These ITCs are believed to be 10-25 times more potent in the detoxification process than most ITCs found in cruciferous vegetables. These long chain ITCs are unique to wasabia and are not commonly found in other cruciferous vegetables. ‡

FORMULA (#202364)

1 vegetarian capsule contains:

MERIVA® Curcumin Phytosome	125 mg
(Curcuma longa extract, rhizome/Phosphatidylcholine (soy) complex)	
Green tea extract (leaf)	200 mg
(standardized to 95% polyphenols and 45% EGCG)	
BioResponse DIM® complex	125 mg
(complex of starch, diindolylmethane, d-alpha tocopheryl succinate, phosphatidylcholine and silica), (standardized to contain 25% diindolylmethane)	
Wasabia japonica (rhizome)	50 mg
(containing at least 600 mcg of isothiocyanates as allyl ITC, 3-butenyl ITC, and 4-pentyl ITC)	

Other Ingredients: Hydroxypropyl methylcellulose [capsule], dicalcium phosphate, silica, vegetable stearate and cellulose.

BioResponse DIM® is a trademark of BioResponse, L.L.C., Boulder, CO. U.S. Patent 6,086,915.

Meriva® is a registered trademark of Indena S.p.A, Milano

Non-GMO, Gluten Free

SUGGESTED USE

Adults take 1 capsule 1-2 times daily with food or as directed by your healthcare professional.

MICROENCAPSULATED DIM® DOSING GUIDELINES

Women: 100-200 mg BioResponse DIM® (25-50 mg DIM)

Men: 200-400 mg BioResponse DIM® (50-100 mg DIM)

PRECAUTIONS

Avoid this product if pregnant or lactating. If taking prescription blood thinners such as Coumadin (warfarin),

DIM® Enhanced

With Curcumin, Green Tea and Wasabia

consult your physician prior to use.

SIDE EFFECTS

Harmless changes in urine color may occur if less than recommended daily water intake is consumed.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

- Zeligs MA. *J of Medicinal Food*. 1998 Nov 2; 1: 67-82.
- Zeligs MA, Jacobs I. *Controlled Release Society Proceedings*. 2000; 27:1324.
- Bradlow HL, et al. *J Endocrinol*. 1996 Sep; 150 Suppl:S259-65.
- Dalessandri KM, Firestone GL, Fitch MD, Bradlow HL, Bjeldanes LF. *Nutr Cancer*. 2004;50(2):161-7. [DIM].
- Fujiki H et al. *Mutat Res* 1998;402(1-2):307-10. [Green tea].
- Yu R, Jiao J, Duh J, Gudehithlu K, Tan T, Kong A. *Carcinogenesis [serial online]*. February 1997;18(2):451-456. [Green tea].
- Marczylo T., Verschoyle R., Cooke D., Morazzoni P., Steward W., Gescher A. *Chemother. Pharmacol*. 2007, 60, 171-177. [Curcumin].
- Maheshwari RK, Singh AK, Gaddipati J, Simal RC. *Biofactors*.. 2000;13(1-4):271-6. [Curcumin].
- Chen D, Banerjee S, Cui QC, Kong D, Sarkar FH, Dou QP. *PLoS One*. 2012;7(10):e47186. [DIM].
- Nagaraju GP, Zhu S, Ko JE, Ashritha N, Kandimalla R, Snyder JP, Shoji M, El-Rayes BF. *Cancer Lett*. 2015 Feb 28;357(2):557-65. [Curcumin].
- Uto T, Hou DX, Morinaga O, Shoyama Y. *Adv Pharmacol Sci*. 2012;2012:614046. [Wasabia].
- Zhang Y, Cao H, Yu Z, Peng HY, Zhang CJ. *Iran J Reprod Med*. 2013 May;11(5):415-22. [Curcumin].
- Cuomo J, Appendino G, Dern AS, et al. *J Nat Prod*. 2011 Apr 25;74(4):664-9. [Curcumin].

For more information on DIM® Enhanced, visit douglaslabs.com

‡ These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15205
800-245-4440
douglaslabs.com



© 2015 Douglas Laboratories. All Rights Reserved
202364-DL042018