

Candi-Trol™
Support for Intestinal Health

DESCRIPTION

Candi-Trol™, provided by Douglas Laboratories®, contains a significant amount of caprylic acid together with other synergistic nutrients meant to support a healthy intestinal microflora. Potassium sorbate is included as a natural stabilizer.

FUNCTIONS

In healthy people, the intestinal microflora consists of balanced amounts of symbiotic microorganisms, providing nutritional benefits to the host. This balance depends on our dietary habits and can easily be disturbed by unhealthy diets or drugs, such as antibiotics and oral contraceptives. Under these conditions, opportunistic pathogenic microorganisms, such as the fungus *Candida albicans*, can colonize the small and large intestine.

Caprylic acid (octanoic acid), commonly found in foods such as coconut oil, milk fat, etc., is a natural dietary fatty acid which helps maintain a normal intestinal microflora. Studies have shown that dietary caprylic acid helps inhibit the growth of *Candida albicans* and other opportunistic fungi in both the small and large intestine. At the same time, caprylic acid does not adversely affect the growth of beneficial intestinal bacteria. Dietary zinc, essential for optimum immune function, has been shown to be effective in reducing susceptibility to opportunistic microorganisms, such as *Candida*, especially in those individuals with compromised immune systems. Studies have described clinical improvement with biotin supplementation of individuals with immune deficiencies associated particularly with carboxylase dysfunction.

Vitamins C and E, together with magnesium and calcium, are included in the formulation to offer metabolic support not only for a healthy immune system, particularly involving the thymus, but also for the maintenance of optimal structure and function of the intestine to help successfully resist opportunistic *Candida* microorganisms.

INDICATIONS

Candi-Trol™ tablets may be a useful dietary supplement for those who wish to provide immune support against and support a normal microecology of their intestinal microflora.

FORMULA (#7006)

Each Tablet Contains:

Vitamin C	25mg
Vitamin E	10I.U.
(d-alpha Tocopherol)	
Calcium.....	60mg
Biotin.....	300mcg
Zinc(Aspartate)	5mg
Magnesium(Aspartate)	30mg
Caprylic Acid	100mg
Potassium Sorbate	250mg
(supplying 65 mg of elemental Potassium)	

SUGGESTED USE

Adults take 1 tablet 3 times daily or as directed by physician.

SIDE EFFECTS

No adverse side effects have been reported.

Candi-Trol™

Support for Intestinal Health

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

- Clohessy, PA, Golden, BE. The mechanism of calprotectin's candidastatic activity appears to involve zinc chelation. *Biochem Soc Trans* 1996;24:309S.
- Cowan, MJ, Wara, DW, Packman, S, Ammann, AJ, Yoshino, M, Sweetman, L, Nyhan, W. Multiple biotin-dependent carboxylase deficiencies associated with defects in T-cell and B-cell immunity. *Lancet* 1979;2:115-8.
- Gafar, M, Dumitriu, H, Dumitriu, S, Guti, L. [Apiphytotherapeutic original preparations in the treatment of chronic marginal parodontopathies. A clinical and microbiological study]. *Rev Chir Oncol Radiol O R L Oftalmol Stomatol Ser Stomatol* 1989;36:91-8.
- Keeney, E. Sodium caprylate: A new and effective treatment for moniliasis of the skin and mucous membranes. *Bull Johns Hopkins Hosp* 1946;78:333-339.
- Mocchegiani, E, Muzzioli, M. Therapeutic application of zinc in human immunodeficiency virus against opportunistic infections. *J Nutr* 2000;130:1424S-31S.
- Mocchegiani, E, Muzzioli, M, Gaetti, R, Veccia, S, Viticchi, C, Scalise, G. Contribution of zinc to reduce CD4+ risk factor for 'severe' infection relapse in aging: parallelism with HIV. *Int J Immunopharmacol* 1999;21:271-81.
- Mocchegiani, E, Veccia, S, Ancarani, F, Scalise, G, Fabris, N. Benefit of oral zinc supplementation as an adjunct to zidovudine (AZT) therapy against opportunistic infections in AIDS. *Int J Immunopharmacol* 1995;17:719-27.
- Munnich, A, Saudubray, JM, Ogier, H, Coude, FX, Marsac, C, Roccichioli, F, Labarthe, JC, Cazenave, C, Laugier, J, Charpentier, C, Frezal, J. [Multiple biotin-dependent carboxylase deficiencies (author's transl)]. *Arch Fr Pediatr* 1981;38:83-90.
- Neuhauser, I, Gustus, E. Treatment of intestinal moniliasis with fatty acid resin complex. *Arch Intern Med* 1954;93:53-60.
- Tsukahara, T. Fungicidal action of caprylic acid for *Candida albicans*. *Japan J Microbiol* 1961;5:383-394.

For more information on Candi-Trol™ visit douglaslabs.com

† These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15205
800-245-4440
douglaslabs.com



**You trust Douglas Laboratories.
Your patients trust you.**