

## Glucosamine Plus™

### A Readily Available Form of Glucosamine and Chondroitin

#### DESCRIPTION

Glucosamine Plus, provided by Douglas Laboratories®, contains a synergistic combination of glucosamine sulfate and chondroitin sulfate. Glucosamine sulfate is a well-absorbed source of glucosamine, an important precursor for the synthesis and maintenance of connective tissues. † Chondroitin sulfate also supports formation of connective tissues, primarily joint cartilage, and helps protect existing cartilage. † The potassium stabilized form of glucosamine sulfate is used, making these sodium-free products.

#### FUNCTIONS

Glucosamine is a naturally occurring amino sugar found ubiquitously in glycoproteins and glycosaminoglycans. Glycosaminoglycans, formerly named mucopolysaccharides, are an integral component of all connective tissues.

Connective tissue, a fibrous type of body tissue, has various functions. It supports and connects internal organs (ligaments), forms bone, cartilage, and the walls of blood vessels, attaches muscles to bones (tendons), and replaces tissues that have been damaged following injury.

The two main components of connective tissue are collagen and proteoglycans. Collagen is the strong, fibrous protein that physically connects our tissues. Proteoglycans are large carbohydrate-rich structures, resembling a bottlebrush in three-dimensional structure, i.e., a central protein rod with many strings of glucosamine-containing glycosaminoglycans extending outwards. Proteoglycans hold large amounts of water forming a stiff gel by virtue of their dense negative charges from sulfates. Proteoglycans are linked to collagen fibers to help form connective tissues, and proteoglycans provide resiliency, load distribution, shock-absorbing, compressive and lubricating properties to connective tissues and joints.

Glycosaminoglycans and proteoglycans are continuously being formed and replaced in connective tissues. Remodeling of connective tissues is also continuous, albeit slowly, with turnover half-lives of almost two years in healthy human joints. During physiological stress, turnover is accelerated. New synthesis of glycosaminoglycans has clinical importance in skin during normal wound healing, in bone, and in joints. In these instances, glycosaminoglycan synthesis is necessary for healing and enhancement of glycosaminoglycan and proteoglycan deposition may improve tissue repair. Glycosaminoglycans are synthesized primarily by fibroblasts (skin, tendons, and ligaments), osteoblasts (bone), and chondrocytes (cartilage). Thus, the cell's ability to manufacture glycosaminoglycans and secrete proteoglycans is crucial for this process.

The availability of glucosamine is the key, rate-limiting step in glycosaminoglycan and proteoglycan synthesis in all connective tissues, such as skin, bone, cartilage, tendons, and ligaments. Only with sufficient glucosamine, the synthesis can proceed. †

The body has a long metabolic pathway to synthesize a glucosamine derivative, UDP-N-acetylglucosamine, which is used for glycosaminoglycan synthesis. In addition, exogenous, i.e., dietary, glucosamine serves as an immediate precursor for glycosaminoglycan synthesis, and also stimulates incorporation of other precursors into the connective tissue matrix. †

Chondroitin sulfate, a glycosaminoglycan formed in the body, is also used for the synthesis and maintenance of connective tissue, primarily within the cartilage matrix. In addition, chondroitin sulfate protects existing cartilage by reducing water loss from the matrix and by inhibiting the enzymatic breakdown of the cartilage. † The overlapping activities as well as functional differences of glucosamine and chondroitin sulfate offer several advantages for combined supplementation. Although glucosamine is a precursor for chondroitin synthesis, this process requires large amounts of metabolic energy. Dietary preformed chondroitin sulfate spares the use of

**Glucosamine Plus™**  
**A Readily Available Form of Glucosamine and Chondroitin**

glucosamine for this purpose. Instead glucosamine can be used for formation of other important glycosaminoglycans and proteoglycans. When adequate chondroitin sulfate is thus available to help protect tissues from premature breakdown, glucosamine can more readily stimulate synthesis of healthy new tissue. Glucosamine is almost universally found in small amounts in most foods. However, bioavailability of glucosamine from foods is largely unknown. Bioavailability of oral glucosamine sulfate is excellent. It is absorbed intact, and utilized very quickly by all tissues, including connective tissues. Chondroitin sulfate is found in most animal tissues. †

In summary, glucosamine sulfate is a well-documented, highly effective source of glucosamine for glycosaminoglycan and proteoglycan synthesis in all connective tissues. Chondroitin sulfate is an excellent source of n-acetylgalactosaminoglycan for synthesis and protection of proteoglycans associated with cartilage tissues. †

**INDICATIONS**

Glucosamine Plus capsules may be a useful nutritional adjunct for individuals who wish to support the body's connective tissues, such as skin, tendons, ligaments, bone, and cartilage.

**FORMULA (GCSP)**

Each Glucosamine Plus capsule contains:

|                               |       |
|-------------------------------|-------|
| Glucosamine sulfate 2KCl..... | 250mg |
| Chondroitin sulfate.....      | 200mg |

**SUGGESTED USE**

Glucosamine Plus: One to three capsules twice daily or as directed by a physician.

**SIDE EFFECTS**

No adverse side effects have been reported.

**STORAGE**

Store in a cool, dry place, away from direct light. Keep out of reach of children.

## Glucosamine Plus™ A Readily Available Form of Glucosamine and Chondroitin

### REFERENCES

Selvan T, Rajiah K, Nainar MS, Mathew EM. ScientificWorldJournal. 2012;2012:902676.doi: 10.1100/2012/902676. [Glucosamine sulfate].

Wangroongsub Y, et al. J Med Assoc Thai. 2010 Jul;93(7):805-11. [Glucosamine sulfate].

Scholtissen S, et al. Int J Clin Pract. 2010 May;64(6):756-62. doi: 10.1111/j.1742-1241.2010.02362.x. [Glucosamine sulfate].

Greenlee H, et al. Support Care Cancer. 2013 Apr;21(4):1077-87. doi: 10.1007/s00520-012-1628-z. [Glucosamine with chondroitin].

Bruyere O, et al. Menopause. 2004 Mar-Apr;11(2):138-43. [Glucosamine sulfate].

Zhang YX, et al. Clin Rheumatol. 2010 Apr;29(4):357-62. doi: 10.1007/s10067-009-1311-z. [Chondroitin sulfate and glucosamine].

Akarasereenont P, et al. J Med Assoc Thai. 2009 Sep;92(9):1234-9. [Glucosamine sulfate].

Persiani S, et al. Osteoarthritis Cartilage. 2005 Dec;13(12):1041-9. [Glucosamine sulfate].

**For more information on Glucosamine Plus™ visit [douglaslabs.com](http://douglaslabs.com)**

† These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by  
Douglas Laboratories  
600 Boyce Road  
Pittsburgh, PA 15205  
800-245-4440  
[douglaslabs.com](http://douglaslabs.com)



**You trust Douglas Laboratories.  
Your patients trust you.**