

Chelated-C Plus

Non-Acidic Vitamin C with Bioflavonoids

DESCRIPTION

Chelated-C Plus capsules, provided by Douglas Laboratories®, contain a non-acidic, calcium ascorbate form of vitamin C combined with antioxidants to support the healthy functioning of the body.[‡]

INDICATIONS

- Antioxidant support[‡]

FUNCTIONS AND MECHANISM OF ACTION

Vitamin C (ascorbic acid) is a water-soluble antioxidant with various biological functions. It is essential for the synthesis of collagen and glycosaminoglycans, which are the building materials of all connective tissues, such as skin, blood vessels, tendons, joint cartilage, and bone. Vitamin C supports the body's defense system by enhancing white blood cell function and activity, and increasing interferon levels, antibody responses, and secretion of thymic hormones. The antioxidative action of vitamin C has been shown to support respiratory, eye, and capillary health. In addition, vitamin C is required for biosynthesis of carnitine, serotonin, and certain neurotransmitters, including norepinephrine. [‡]

Bioflavonoids are polyphenol compounds derived from plant extracts that provide beneficial health effects due to their antioxidative properties. Citrus bioflavonoids include rutin and quercetin, and have been shown to support healthy arterial function by assisting in the maintenance of vasculature activity and normal blood flow. In a clinical study, citrus bioflavonoids were shown to support vascular function by potentially influencing nitric oxide. Quercetin has been shown to be one of the most bioactive flavonoids. Quercetin promotes cardiovascular health by protecting lipids from oxidation and supporting the health of capillaries by enhancing their strength and integrity. Both quercetin and rutin promote the protection of red blood cells and play roles in quenching free radicals. This formula contains Pyconogenol® French maritime pine bark extract, a unique combination of procyandins, bioflavonoids, and phenolic acids. [‡]

FORMULA (#202639)

Serving Size 1 Vegetarian Capsule:

Vitamin C (as calcium ascorbate)	530 mg
Calcium (as calcium ascorbate)	60 mg
Rutin	50 mg
Citrus Bioflavonoids	50 mg
Proprietary Blend	6 mg
Quercetin (as quercetin dihydrate),	
Echinacea (<i>Echinacea purpurea</i> , roots)	
and Beta-Carotene	
Pycnogenol® (<i>Pinus pinaster</i> , pine bark, dried extract)	250 mg

Other ingredients: Hydroxypropyl methylcellulose (capsule), ascorbyl palmitate, and microcrystalline cellulose

Pycnogenol® is a registered trademark of Horphag Research Ltd.

Gluten-free, Non-GMO

SUGGESTED USE

Adults take 1 vegetarian capsule daily or as directed by a health professional.

WARNING

If you are pregnant, nursing, have any health condition or taking any medication, consult your health professional before using this product.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

- Lee JK, Jung SH, Lee SE, et al. *Korean J Physiol Pharmacol*. 2018 Jan; 22(1): 35–42.
- Chan E., Hegde A., Chen X. *J Pharm Pharmacol*. 2009;61(4):451–458.
- Panche AN, Diwan AD, Chandra SR. *J Nutri Sci*. 2016;5:e47.
- Lakhanpal P, Rai DK. *Internet J*. 2007. 2(2); 22-37.
- Padayatty SJ, Katz A, Wang Y, et al. *J Am Coll Nutr*. 2003 Feb;22(1):18-35.
- Frech T, Clegg D. *Curr Rheumatol Rep*. April 2007;9(1):25-30.
- Carr AC, Bozonet SM, Pullar JM, et Al. *Am J Clin Nutr*. 2013 Apr;97(4):800-7.
- Szarka A, Lőrincz T. *Protoplasma*. 2014 May;251(3):489-97.
- Uchio R, Hirose Y, Murosaki S, et al. *Br J Nutr*. 2015 Feb 28;113(4):603-9.
- Johnston CS, Barkyoumb GM, Schumacher SS. *Nutrients*. 2014 Jul 9;6(7):2572-83.
- Sasazuki S, Sasaki S, Tsubono Y, et al. *Eur J Clin Nutr*. 2006 Jan;60(1):9-17.
- Ferrón-Celma I, Mansilla A, Hassan L, et al. *J Surg Res*. 2009 May 15;153(2):224-30.
- Abdollahzad H, Eghtesadi S, Nourmohammadi I, et al. *Int J Vitam Nutr Res*. 2009 Sep;79(5-6):281-7.
- Wintergerst ES, Maggini S, Hornig DH. *Ann Nutr Metab*. 2006;50(2):85-94.
- Bauer JD, Isenring E, Waterhouse M. *J Hum Nutr Diet* 2013 Oct;26(5):452-8.
- Park HJ, Byun MK, Kim HJ, et al. *Int J Chron Obstruct Pulmon Dis*. 2016; 11: 2721–2728.
- Ghosh A, Ganguly S, Chatterjee I, et al. *Am J Respir Cell Mol Biol*. Mar 2015;52(3):315-322.
- Rasmussen HM, Johnson EJ. *Clin Interv Aging*. 2013; 8: 741–748.
- Chew EY, Clemons TE, Agrón E, et al. *Ophthalmology*. 2013 Aug;120(8):1604-11.e4.
- Henriksson P, Diczfalusy U, Freyschuss A. *Microcirculation* (New York, N.Y.: 1994). Jan 2012;19(1):86-93.
- May JM, Harrison FE. *Antioxid Redox Signal*. 2013 Dec 10; 19(17): 2068–2083.
- Chatterjee IB, Majumder AK, Nandi BK, Subramanian N. *Ann N Y Acad Sci*. 1975 Sep 30; 258():24-47.
- Diliberto EJ Jr, Allen PL. *Mol Pharmacol*. 1980 May; 17(3):421-6.
- Fuhrman B, Aviram M. *Curr Opin Lipidol*. 2001 Feb; 12(1):41-8.
- Annapurna A., Reddy C.S., Akondi R.B., Rao S.R. *J Pharm Pharmacol*. 2009;61(10):1365–1374.
- Rendeiro C, Dong H, Saunders C, et al. *Br J Nutr*. 2016 Dec;116(12):1999-2010.
- Lakhanpal P, Rai DK. *Internet J*. 2007. 2(2); 22-37.
- Boots AW, Drent M, de Boer VC, et al. *Clin Nutr*. 2011 Aug;30(4):506-12.
- Egert S, Bosy-Westphal A, Seiberl J, et al. *Br J Nutr*. 2009 Oct;102(7):1065-74.
- Kukongviriyapan U, Sompamit K, Pannangpatch P, et al. *Can J Physiol Pharmacol*. 2012 Oct;90(10):1345-53.
- Kumar P, Sharma S, Khanna M, Raj HG. *Int J Exp Pathol*. 2003 Jun;84(3):127-33.
- Kostyuk VA, Potapovich AI. *Arch Biochem Biophys*. 1998 Jul 1;355(1):43-8."
- Mira L, Terez Fernandez M, Santos, M, et al. *Free Radic Res* 2002 Nov;36(11):1199-208.
- Choi SJ, Lee SN, Kim K, et al. *Int J Mol Med*. 2016 Jul;38(1):357-63.
- Kostyuk VA, Potapovich AL. *Arch Biochem Biophys*. 1998 Jul 1;355(1):43-8.
- McAnlis GT, McEneny J, Pearce J, Young IS. *Eur J Clin Nutr*. 1999 Feb;53(2):92-6.
- La Casa C, Villegas I, Alarcón de la Lastra C, et al. *J Ethnopharmacol*. 2000 Jul;71(1-2):45-53.
- Kamalakkannan N, Prince PS. *Basic Clin Pharmacol Toxicol*. 2006 Jan;98(1):97-103.
- Yang J, Guo J, Yuan J. *LWT*. 2008. 41(6); 1060–1066.
- Nishioka K, Hidaka T, Nakamura S, et al. *Hypertens Res*. 2007 Sep;30(9):775-80.
- Mark JD. *Integrative Medicine*. 4th edition. Elsevier; 20018. Chapter 29, Asthma.

For more information on Chelated-C Plus, visit douglaslabs.com

†These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15205
800-245-4440
douglaslabs.com



PUSH YOUR POTENTIAL.
©2020 Douglas Laboratories. All Rights Reserved.