

Gluco-Support Formula™
Multivitamin/mineral for daily wellness[‡]
 Healthy blood sugar support[‡]

DESCRIPTION

Gluco-Support Formula™ is a comprehensive multivitamin/mineral formula with bioavailable nutrient forms to support optimal health and wellness.[‡]

INDICATIONS

- Support for daily wellness[‡]
- Support for healthy blood sugar[‡]

FUNCTIONS AND MECHANISM OF ACTION

Gluco-Support Formula™ offers intensive support for the healthy functioning of the body in general, while also including a blend of herbs and additional nutrients specifically formulated to offer additional support of the body’s mechanisms that maintain healthy glucose metabolism. Each ingredient is selected in consideration of its absorbability, competitive relationship with other nutrients, and safety. The specific nutrients play vital roles to support cellular, heart, cognitive and immune health, among other functions. Vitamin C is a water-soluble antioxidant nutrient. It is essential for connective tissue and bone metabolism, capillary health and immune function. Vitamin E is recognized as a fat-soluble antioxidant. It provides cell stabilization and supports cell membranes. Vitamin D supports the absorption of calcium into the blood.[‡]

Fluctuations in glucose metabolism can impact the degree of glycation present in the body. Advanced glycation end products (AGEs) are proteins or lipids that become glycated after exposure to sugars and can be a result of the normal aging process. The presence of AGEs in various cell types can affect extracellular and intracellular structure and function. Maintenance of healthy glucose homeostasis is fundamental to keeping AGE formation within healthy limits. Chromium is an integral component of the glucose tolerance factor (GTF) and is essential for proper glucose metabolism. Adequate chromium nutrition is essential for the formation of GTF and the healthy metabolism of blood glucose.[‡]

Gymnema sylvestre is an Ayurvedic botanical that has shown benefit in supporting the health of pancreatic beta cell function in preclinical trials. *Gymnema* is also thought to be supportive in maintaining normal intestinal glucose absorption. Human and animal studies have indicated it may be useful in supporting already healthy glucose metabolism.[‡]

FORMULA (#202697)

Serving Size 3 Tablets

Vitamin A.....	4,500 mcg
(25% as vitamin A acetate/75% [3,375 mcg] as beta-carotene)	
Vitamin C (ascorbic acid)	750 mg
Vitamin D ₃ (as cholecalciferol)	0.9 mcg (37.5 IU)
Vitamin E (as vitamin E succinate).....	100.5 mg
Thiamine (as thiamine mononitrate).....	37.5 mg
Riboflavin	18.75 mg
Niacin/Niacinamide	90mg
Vitamin B ₆ (as pyridoxine HCl/pyridoxal-5-phosphate complex).....	18.75 mg
Folate (as folic acid)	1,000 mcg DFE
	(600 mg folic acid)
Vitamin B ₁₂ (as cyanocobalamin)	75 mcg
Biotin	225 mcg
Pantothenic Acid (as d-calcium pantothenate).....	37.5 mg
Choline (as choline bitartrate)	15 mg

Calcium (from calcium citrate/ascorbate/carbonate complex).....	225mg
Magnesium (from magnesium aspartate/ascorbate/oxide complex)	225 mg
Zinc (from zinc krebs ^{††})/aspartate/oxide complex)	15 mg
Selenium (as selenium krebs ^{††})	150 mcg
Copper (as copper krebs ^{††}).....	1.5 mg
Manganese (as manganese aspartate/sulfate complex).....	11 mg
Chromium (as chromium polynicotinate).....	150 mcg
Molybdenum (from molybdenum krebs ^{††})	37.5 mcg
Potassium (as potassium aspartate/chloride complex)	56.25 mg
Gluco-Support Proprietary Blend	375 mg
<i>Momordica charantia</i> Extract (deseeded fruits), <i>Gymnema sylvestre</i> Extract (dried leaf), Dandelion (root), Goldenseal (root), Acetyl-L-Carnitine HCl, Lemon Bioflavonoids Complex, Betaine HCl, Grape Seed Extract, Lipoic Acid, L-Methionine, L-Cystine/N-Acetyl-L-Cysteine, Glutamic Acid and Coenzyme Q ₁₀	
Aspartic Acid	210 mg
PABA (as para-aminobenzoic acid)	37.5 mg
Inositol.....	18.75 mg
Boron (from boron aspartate/citrate complex).....	0.75 mg
Trace Elements (from sea water).....	100mcg
Vanadium (from vanadium krebs ^{††})	25mcg

Other ingredients: Microcrystalline cellulose, stearic acid, tablet coating (hypromellose, glycerin), vegetable stearate, croscarmellose sodium and silica

††Krebs=Citrate, Fumarate, Malate, Glutarate and Succinate Complex

Gluten-Free, Non-GMO

SUGGESTED USE

As a dietary supplement, adults take 3 tablets daily with food or as directed by your health professional.

WARNING

If you are pregnant, nursing, have any health condition or taking any medication, consult your health professional before using this product. Discontinue immediately if a burning sensation occurs. Not recommended for people with ulcers.

KEEP OUT OF THE REACH OF CHILDREN

STORAGE

Store in a cool, dry place, away from direct light. Use only if safety seal is intact.

REFERENCES

- Girodon F, Blache D, Monget AL, et al. *J Am Coll Nutr.* 1997 Aug;16(4):357-65.
- Herberg S, Galan P, Preziosi P, et al. *Arch Intern Med.* 2004 Nov 22;164(21):2335-42.
- Wang MX, Jiao JH, Li ZY, et al. *Atherosclerosis.* 2013 Apr;227(2):380-5.
- Sato K, Niki E, Shimasaki H. *Arch Biochem Biophys.* 1990 Jun;279(2):402-5.
- Huskisson E, Maggini S, Ruf M. *J Int Med Res.* 2007 May-Jun;35(3):277-89.
- Depeint F, Bruce WR, Shangari N. *Chemico-Biological Interactions.* 2006. 123; 94–112.
- Brunaud L, Alberto JM, Ayav A, et al. *Clin Chem Lab Med.* 2003 Aug;41(8):1012-9.
- Miller AL. *Altern Med Rev.* 2003 Feb;8(1):7-19.
- Costa KA, Gaffney CE, Fischer LM, Zeisel SH. *Am J Clin Nutr.* 2005 Feb; 81(2): 440–444.
- Lee JK, Jung SH, Lee SE, et al. *Korean J Physiol Pharmacol.* 2018 Jan; 22(1): 35–42.
- Panche AN, Diwan AD, Chandra SR. *J Nutri Sci.* 2016;5:e47.
- Johnston CS, Barkyoub GM, Schumacher SS. *Nutrients.* 2014 Jul 9;6(7):2572-83.
- Sasazuki S, Sasaki S, Tsubono Y, et al. *Eur J Clin Nutr.* 2006 Jan;60(1):9-17.
- Kurutas EB. *Nutr J.* 2016; 15: 71.

den Heijer M, Brouwer IA, Bos GM, et al. *Arterioscler Thromb Vasc Biol*. 1998 Mar;18(3):356-61.

Robinson K, Arheart K, Refsum H, et al. *Circulation*. 1998; 97: 437-443.

Johnston CS, Barkyoumb GM, Schumacher SS. *Nutrients*. 2014 Jul 9;6(7):2572-83.

Tanaka T, Scheet P, Biusti B, et al. *Amer J Hum Genetics*. Apr 2009. 84: 477–482.

Antoniades C, Shirodaria C, Warrick N, et al. *Circulation*. 2006 Sep 12;114(11):1193-201.

Cagnacci A, Cannoletta M, Volpe A. *Eur J Clin Nutr*. 2009 Oct;63(10):1266-8.

Stanhewicz AE, Alexander LM, Kenney WL. *Clin Sci (Lond)*. 2015 Jul;129(2):159-67.

Löfvblad K, Ramelli G, Remonda L, et al. *Pediatr Radiol*. 1997 Feb;27(2):155-8.

van Asselt DZ, Pasman JW, van Lier HJ, et al. *J Gerontol A Biol Sci Med Sci*. 2001 Dec;56(12):M775-9.

Prasad AS. *Curr Opin Clin Nutr Metab Care*. 2009 Nov;12(6):646-52.

Shankar AH, Prasad AS. *Am J Clin Nutr*. 1998 Aug;68(2 Suppl):447S-463S.

Hosseini-nezhad A, Spira A, Holick MF. *PLoS One*. 2013;8(3):e58725.

Amrein K, Zajic P, Schnedl C, et al. *Crit Care*. 2014 Mar 24;18(2):R47.

Wintergerst ES, Maggini S, Hornig DH. *Ann Nutr Metab*. 2006;50(2):85-94.

Padayatty SJ, Katz A, Wang Y, et al. *J Am Coll Nutr*. 2003 Feb;22(1):18-35.

Frech T, Clegg D. *Curr Rheumatol Rep [serial online]*. April 2007;9(1):25-30.

Carr AC, Bozonet SM, Pullar JM, et al. *Am J Clin Nutr*. 2013 Apr;97(4):800-7.

Szarka A, Lőrincz T. *Protoplasma*. 2014 May;251(3):489-97.

Aghajanian P, Hall S, Wongworawat MD, Mohan S. *J Bone Miner Res*. 2015 Nov; 30(11): 1945–1955.

Malmir H, Shab-Bidar S, Djafarian K. *Br J Nutr*. 2018 Apr;119(8):847-858.

Henriksson P, Diczfalusy U, Freyschuss A. *Microcirculation*. 2012;19(1):86-93.

May JM, Harrison FE. *Antioxid Redox Signal*. 2013 Dec 10; 19(17): 2068–2083.

Uchio R, Hirose Y, Murosaki S, et al. *Br J Nutr*. 2015 Feb 28;113(4):603-9.

Ferrón-Celma I, Mansilla A, Hassan L, et al. *J Surg Res*. 2009 May 15;153(2):224-30.

Abdollahzad H, Eghtesadi S, Nourmohammadi I, et al. *Int J Vitam Nutr Res*. 2009 Sep;79(5-6):281-7.

Bauer JD, Isenring E, Waterhouse M. *J Hum Nutr Diet*. 2013 Oct;26(5):452-8.

Keen MA, Hassan I. *Indian Dermatol Online J*. 2016;7(4):311-315.

Rendón-Ramírez AL, Maldonado-Vega M, Quintanar-Escorza MA, et al. *Environ Toxicol Pharmacol*. 2014 Jan;37(1):45-54.

Sureda A, Tauler P, Aguiló A, et al. *Ann Nutr Metab*. 2008;52(3):233-40.

Wang X, Quinn PJ. *Prog Lipid Res*. 1999 Jul;38(4):309-36.

Evstigneeva RP, Volkov IM, Chudinova VV. *Membr Cell Biol*. 1998;12(2):151-72.

Maresz K. *Integr Med (Encinitas)*. 2015 Feb; 14(1): 34–39.

Van Puyvelde K, Mets T, Njemini R, et al. *Nutr Rev*. 2014 Oct;72(10):638-50.

Thomas MC, Woodward M, Neal B, et al. *Diabetes Care*. 2015 Oct;38(10):1891-7.

Anderson RA, Mertz W. *Trends in Biochem Sci*. 1977;2(12):P277-279.

Liu L, Cui WM, Zhang SW, et al. *RSC Adv*, 2015,5, 3482-3490.

Shanmugasundaram ER, Gopinath KL, Radha Shanmugasundaram K, et al. *J Ethnopharmacol*. 1990 Oct;30(3):265-79.

Al-Romaiyan A, Liu B, Asare-Anane H, et al. *Phytother Res*. 2010 Sep;24(9):1370-6.

El-Alfy AT, Ahmed AA, Fatani AJ. *Pharmacol Res*. 2005 Sep;52(3):264-70.

For more information on Gluco-Support Formula™, visit douglaslabs.com

‡These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15275
800-245-4440
douglaslabs.com



PUSH YOUR POTENTIAL.

©2022 Douglas Laboratories. All Rights Reserved.